

Statement
LUXURY

— 600X1200MM —

Bianco
—• COLLECTION •—

Bianco

COLLECTION

600X1200MM

— GVT & PGVT —

The BIANCO COLLECTION is a stunning collection of tiles that embody a timeless and elegant aesthetic. The clean, pristine look of Bianco tiles adds a touch of sophistication to any space. It offers versatility in design options. These tiles create unique and personalised spaces to brighten up and create a sense of openness.



ABSTRACT RED



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

ALCORA BIANCO



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 4



**BIANCO
SERIES**

ALPS GREY



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

ALPS MULTY



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

ART BIANCO



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

ASCOT WHITE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 4



**BIANCO
SERIES**

CALACATTA CREMA



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

CALACATTA NATURAL



Finish
GLOSSY

Size
**600 X
1200 mm**



Random :10



**BIANCO
SERIES**

CALACATTA NEO



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

CALACATTA ORO



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

CALACATTA VINCI



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 4




**BIANCO
SERIES**

CAMDEN AZUL



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

CARRARA SUVE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

CARRARA WHITE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

CITRINE WHITE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 4



**BIANCO
SERIES**

DERBY NATURAL



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 3




**BIANCO
SERIES**

DOLCE BROWN



Finish
GLOSSY

Size
**600 X
1200 mm**




Random : 4




**BIANCO
SERIES**

EROS WHITE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 3




**BIANCO
SERIES**

EVEREST WHITE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5




**BIANCO
SERIES**

GEO BIANCO



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5

-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT

**BIANCO
SERIES**

GLACIAR ROSE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

HIMALAYA WHITE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5




**BIANCO
SERIES**

LOFT WHITE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

MICHEL ANGELO



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

PEARL WHITE



Finish
GLOSSY

Size
**600 X
1200 mm**




Random : 5



**BIANCO
SERIES**

PERSIAN CREMA



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

PERSIAN GRIS



Finish
GLOSSY

Size
**600 X
1200 mm**




Random : 5




**BIANCO
SERIES**

PRESTON MULTY



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5




**BIANCO
SERIES**

REGAL BIANCO



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5

-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT

**BIANCO
SERIES**

SATHVARIO PEARL



Finish
GLOSSY

Size
**600 X
1200 mm**




Random : 5




**BIANCO
SERIES**

SATVARIO BLUE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 4



**BIANCO
SERIES**

SATVARIO RADIAL



Finish
GLOSSY

Size
**600 X
1200 mm**




Random : 3



**BIANCO
SERIES**

SATVARIO SILVER



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 4




**BIANCO
SERIES**

SONATA MURAL



Finish
GLOSSY

Size
**600 X
1200 mm**



Random :6



**BIANCO
SERIES**

SPARK CREMA



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

SPARK GREY



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

STATUARIO GARUDA



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 3



**BIANCO
SERIES**

STATUARIO MAGMA



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

STATUARIO NUA



Finish
GLOSSY

Size
**600 X
1200 mm**




Random : 5




**BIANCO
SERIES**

STATUARIO SUPER



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 3



**BIANCO
SERIES**

STATUARIO VIENA



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

STATUARIO WHITE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

STATURIO IVA



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

STATURIO THUNDER



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

STUART WHITE



Finish
GLOSSY

Size
**600 X
1200 mm**




Random : 5



**BIANCO
SERIES**

TORINO BLANCO



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

VENATO CREMA



Finish
GLOSSY

Size
**600 X
1200 mm**




Random : 5



**BIANCO
SERIES**

VENICE WHITE



Finish
GLOSSY

Size
**600 X
1200 mm**



Random : 5



**BIANCO
SERIES**

GLAZED VITRIFIED TILES

600x1200 mm

TECHNICAL SPECIFICATION FOR 600x1200MM GVT TILES

Characteristics	Requirement as per IS 15622 : 2017 < E ≤ 0.08 Group Bla	Requirement as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	± 0.1%	± 0.3%	± 0.1%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.1%	± 0.3%	± 0.1%	
iv) Rectengularity	± 0.1%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
b) Edge curvature (%) { max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
c) Corner warpage (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Avg. E≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm ²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg, 35 Ind 32	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min. 1300	Min. 1300	Min. 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N/A	Min.5 (for VC & RT), Min.3 (for Polished)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles(Class I to V)	Min II	Abrasion Class & Cycle passed	Class-V (for VC & RT), Class-III (for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	6 X 10 ⁻⁴ K ⁻¹ Max	Test Method Available	Max 6 X 10 ⁻⁴ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Re stitution	0.55 min	Required	Min 0.55	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class 1	Min Class 3	Min Class-1	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ^f	Min Class AA	

PACKING DETAIL FOR 600x1200MM GVT TILES

Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x1200mm	9.0 (Approx)	28.00 (Approx)	2	1.44sq.mtr./15.50sq.ft.

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Arkstone wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

